

# INDEX MAPS.

## T.15N R.3W 2<sup>nd</sup> Mer.

	158		158		158		157		157		157	
160	6	186	5	180	4	175	3	170	2	165	1	156
	185		186		179		174		169		164	
160	7	185	8	179	9	174	10	169	11	164	12	156
	184		185		178		174		168		163	
160	18	184	17	178	16	173	15	168	14	163	13	155
	183		183		177		173		167		163	
159	19	183	20	177	21	172	22	167	23	162	24	155
	182		182		177		172		167		162	
159	30	181	29	176	28	171	27	166	26	161	25	155
	181		181		176		171		166		161	
159	31	180	32	175	33	170	34	165	35	161	36	155
	154		154		154		153		153		153	

## T.16N R.3W 2<sup>nd</sup> Mer.

	194		194		193		193		193		193	
196	6	220	5	214	4	209	3	205	2	200	1	192
	220		219		213		209		205		200	
196	7	219	8	213	9	208	10	204	11	200	12	192
	219		218		213		208		204		199	
196	18	218	17	212	16	208	15	203	14	199	13	192
	217		217		212		207		203		198	
195	19	217	20	211	21	207	22	202	23	198	24	191
	216		216		211		206		202		198	
195	30	215	29	210	28	206	27	202	26	197	25	191
	214		214		210		206		201		197	
194	31	214	32	210	33	205	34	201	35	197	36	191
	19		190		190		189		189		189	

The figures on the lines refer to the page.

Township No. 16. North of Range No. 3 West 2<sup>nd</sup> Mer. (Sec. 2)

189

Ch. 189.

# South Boundary

N. 6° 00.

159

West On the South Boundary of sec. 36 T. N. 16. R. 3 W.

27.00 Soap Brook. 8 miles wide, Corner S.W.

40.00 Set apart for the cor. of 1/4 sec. from which a  
Beck 18 in dist. bears N 32 E. 19 miles dist; 1 a,  
Beck 24 " " " S 21 E. 17 " "

75.00 Soap Brook. 10 miles wide, Corner S.W.

80.00 Set apart for the cor. of sec. 35 & 36 from which a  
Beck 9 in dist. bears N 70 E. 23 miles dist; 1 a,  
N 7 Beck 8 " " " S 58 W 34 " "  
Land is well suited good for farming; Timber Beck,  
Sugar. Oak. 1 Hick. in dist. dist.

West On the S. Boundary of sec. 35. T. N. 16. R. 3 W.

8.00 Soap Brook. 12 miles wide, Corner S.W.

40.00 Set apart for the cor. of 1/4 sec. from which a  
Beck 9 in dist. bears N 20 E. 14 miles dist; 1 a,  
10. 30 " " " S 43 W 16 " "

80.00 Set apart for the cor. of sec. 34 & 35 from which a  
Sugar. 18 in dist. bears N 22 W. 8 miles dist; 1 a,  
10. 12 " " " S 87 W. 51 " "  
Land is rich and good for farming; Land a little  
rolling; Timber Beck, Sugar. Oak. 1 Some Walnut.

West On the S. Boundary of sec. 34 T. N. 16. R. 3 W.

1.00 Soap Brook. 15 miles wide, Corner S.W.

40.00 Set apart for the cor. of 1/4 sec. from which a  
Beck 12 in dist. bears N 20 E. 14 miles dist; 1 a,  
10. 10 " " " S 36 W. 29 " "

62.00 Soap Brook. 15 miles wide, Corner S.W.

80.00 Set apart for the cor. of sec. 33 & 34 from which a  
Beck 9 in dist. bears N 18 E. 5 miles dist & a  
Oak. 12 " " " S 11 W. 27 " "



## T. N. 16 N. R. N. 37. 2nd Mer. S. 1st.

Land soil and timber same as last mile.

West	On the S. Boundary of sec. 33. T. N. 16. N. R. N. 37. Var. by observations T. 20' N. 60° 00'
40.00	Set a post for the cor. of 1/4 sec. from which a Beck. 9 in dia. beam. S 32 E. 9 links dist; 12 Sug. 9 " " " N 27 E. 29 " "
61.50	To a Brook. 10 links wide, Corner S.
80.00	Set a post for the cor. of sections 32. & 33 from which W. Ash. 30 in dia. beam. S 44 W. 13 links dist; 12 Beck. 8 " " " N 137 W. 23 " "
	Land soil and goods for farming; goods 2 <sup>nd</sup> rate soil Timber same as last mile.

West	On the South Boundary of sec. 32. T. N. 16. N. R. N. 37.
20.00	To a Brook. 10 links wide, Corner S.
40.00	Set a post for the cor. of 1/4 sec. from which Beck. 18 in dia. beam. N 46 W. 10 links dist; 12 Do. 11 " " " S 23 W. 13 " "
48.50	To a Brook 150 links wide, Corner S. W.
80.00	Set a post for the cor. of sec. 31. & 32 from which Sycamore 5 in dia. beam S 23 W. 36 links dist; 12 Do. 27 " " " N 79 W. 40 " "
	Land soil and timber same as last mile.

West	On the S. Boundary of sec. 31. T. N. 16. N. R. N. 37.
30.00	To a Brook. 10 links wide, Corner S.
40.00	Set a post for the cor. of 1/4 sec. from which Beck. 9 in dia. beam. N 46 W. 25 links dist; 12 Sug. 12 " " " S 76 E. 24 " "
52.27	Entered the Range 505 links North of the temp. post for Iowa cor. and set a post for the cor. of Towns 15. 15 & 16. N. R. 3 & 4 W. from which

S. N. 16. T. 37. 2nd Mer. Ind. 2

191

Sugar. 15 in. air. beam. South 13 miles dist; 1 a,  
 Do. 9 " " " N 10 E. 16 " "  
 Land broken & hilly; timber same soil 2nd. rate.

### East Boundary

v. 6° 15' A. 157.

North On the East Boundary. of sec. 36 T. N. 16. T. 37. N. 37.  
 35.00 To a Brook. 6 miles wide, Corner E.  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 N. 12 in. air. beam. S 36 E. 17 miles dist; 1 a,  
 N. 27 " " " West 10 " "  
 80.00 Set a post for the cor. of sec. 25 & 36 from which a  
 Brook. 9 in. air. beam. S 51 E. 17 miles dist; 1 a,  
 Do. 12 " " " N 73 W 2 " "  
 Land good and good for farming; timber Buck,  
 Sugar. Ash, Hick. Elm. & Poplar.

### July 13 1819.

North On the East Boundary of sec. 25 T. N. 16. T. 37. N. 37.  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 Poplar. 18 in. air. beam S 53 N. 14 miles dist; 1 a,  
 Hick. 10 " " " N 59 E. 1 1/4 " "  
 74.00 To a Brook. 12 miles wide, Corner E.  
 80.00 Set a post for the cor. of sec. 24 & 25 from which a  
 Elm. 12 in. air. beam S 35 N. 20 miles dist; 1 a,  
 Buck. 20 " " " North 33 " "  
 Land soil made timber some oak & ash.

North On the East Boundary of sec. 24 T. N. 16. T. 37. N. 37.  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 Buck. 12 in. air. beam. N 20 E. 18 miles dist; 1 a,  
 Sugar. 15 " " " S. 18 W 19 " "  
 42.00 To a Brook. 5 miles wide, Corner E.  
 80.00 Set a post for the cor. of sec. 13 & 24 from which a

T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 37. 2<sup>nd</sup> Nov. Ind.<sup>a</sup>

Beck. 10 in dist. bears S56 E. 12 units dist; or  
 Sugar. 12 " " " N48 W. 25 " "

North On the East Boundary of sec. 13. T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 37.  
 35.00 To a Brook. 3 units wide, Corner N.W.  
 40.00 Set apart for the cor. off  $\frac{1}{4}$  sec. from which a  
 Sugar. 10 in dist. bears S19 W. 23 units dist; or  
 Height 7 " " " N26 E. 29 " "  
 60.00 To a Creek. 150 units wide, Corner S.W.  
 80.00 Set apart for the cor. off sec. 12 & 13 from which a  
 Beck. 18 in dist. bears N84 W. 18 units dist; or  
 " 10. 30 " " " S32 E. 30 " "  
 Lands of some act last mile. N<sup>o</sup> much broken.

North On the East Boundary of sec. 12. T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 37.  
 40.00 Set apart for the cor. off  $\frac{1}{4}$  sec. from which a  
 Sugar. 8 in dist. bears S24 E. 16 units dist; or  
 Height 9 " " " N3 E. 24 " "  
 80.00 Set apart for the cor. of sec. 1 & 12 from which a  
 Maple. 27 in dist. bears S25 E. 16 units dist; or  
 Elm. 27 " " " N38 W. 48 " "  
 Lands here are good for farming; N part mt.  
 Timber Oak, Beech, Elm, Ash, Sugar, & Poplar.

North On the East Boundary of sec. 1. T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 37.  
 40.00 Set apart for the cor. off  $\frac{1}{4}$  sec. from which a  
 Haws. 9 in dist. bears S38 E. 32 units dist; or  
 Beck. 12 " " " N37 W. 21 " "  
 80.00 Set the temp. 4<sup>th</sup> from cor. of T. N<sup>o</sup> 16. & 16. N.R. N<sup>o</sup> 37.  
 Lands here are good for farming; Timber same as the last  
 mile. Stones moved on this six miles from  
 6<sup>th</sup> 15. to 7<sup>th</sup> 00 "

	North Boundary <span style="float: right;">N 6° 10' A. 185</span>	
West	On the South Boundary of sec. 36 T. N <sup>o</sup> 17. N.R. N <sup>o</sup> 37.	
40.00	Set apart for the cor. of $\frac{1}{4}$ sec. from which a Beech 9 in. diam. trees. N 86° 15' miles dist; 1 <sup>st</sup> a, Lo. 8 " " " S 66° 7' 28 " "	
80.00	Set apart for the cor. of sec. 35 & 36 from which a Beech 14 in. diam. trees. N 46° 12' miles dist; 1 <sup>st</sup> a, Nash 18 " " " S 24° 7' 18 " " Land level and rather wet. Timber Oak, Beech Hickory Elm. Poplar Spruce. Ash etc.	
West	On the S. Boundary of sec. 35 T. N <sup>o</sup> 17. N.R. N <sup>o</sup> 37.	
40.00	Set apart for the cor. of $\frac{1}{4}$ sec. from which a Beech 9 in. diam. trees. N 49° 7' 25' miles dist; 1 <sup>st</sup> a, Lo. 8 " " " S 34° E 22 " "	
59.00	To a Brook 8 miles near Corner S.	
80.00	Set apart for the cor. of sec. 34 & 35 from which a Sugar 18 in. diam. trees. N 25° E 41' miles dist; 1 <sup>st</sup> a, Beech 4 " " " S 82° 7' 5 " " Land good for farming; Timber Beech Sugar, ash, Oak Hickory and Elm.	
West	On the S. Boundary of sec. 34 T. N <sup>o</sup> 17. N.R. N <sup>o</sup> 37.	
40.00	Set apart for the cor. of $\frac{1}{4}$ sec. from which a Beech 9 in. diam. trees. N 20° E 15' miles dist; 1 <sup>st</sup> a, Lo. 9 " " " S 26° E 9 " "	
80.00	Set apart for the cor. of sec. 33 & 34 from which a Beech 4 in. diam. trees S 83° E 27' miles dist; 1 <sup>st</sup> a, Lo. 9 " " " West 13 " " Land level and rather wet. 2 <sup>nd</sup> rate; N <sup>o</sup> 1 <sup>st</sup> good for farming; Timber same	
West	On the South Boundary of sec. 33 T. N <sup>o</sup> 17. N.R. N <sup>o</sup> 37	



## T. N. 16 N. R. N. 3 W. 2nd Mer. Ind.

40.00 Set apart for the cor. off  $\frac{1}{4}$  sec from which a  
 Beech. 10 in diam. bears. N 67 N. 20. miles dist; 1<sup>st</sup>  
 Co. 9 " " S 77 E. 12 " "

66.00 To a Brook 10 miles wide, Corner S.

80.00 Set apart for the cor. off sec. 32, 133 from which a  
 W. Oak 8 in diam. bears. S 84 W. 11 miles dist; 1<sup>st</sup>  
 Beech. 10 " " S 69 E. 20 " "

Land is well and good for farming; W. 2<sup>nd</sup> sec; E. 2<sup>nd</sup>  
 2<sup>nd</sup> rate, land. Timber Beech, Sugar &c.

West On the South Boundary off sec. 32. T. N. 17. N. R. 3 W.

40.00 Set apart for the cor. off  $\frac{1}{4}$  sec. from which a  
 Hickory 8 in diam. bears. N 84 E. 11 miles dist; 1<sup>st</sup>  
 Beech. 9 " " N 85 W. 41 " "

55.00 To a Brook 10 miles wide, Corner N. W.

80.00 Set apart for the cor. off sec. 31, 132 from which a  
 Hickory 12 in diam. bears. N 11 E. 18 miles dist; 1<sup>st</sup>  
 Co. 10 " " S 40 E. 12 " "

Land is well and good for farming; a little roll S.  
 Timber same as last mile.

West On the South Boundary off sec. 31. T. N. 17. N. R. N. 3 W.  
 August 10. 1819.

13.34 Intersect the Range line between N. 3 & 4 W. 6. 96  
 miles North of the temp. 1<sup>st</sup> corner. Cor. made at a  
 post for the cor. off Towns 16. & 16. N. R. 3. 3 & 4 W. from which  
 a B. Walnut 12 in diam. bears. S. 24 W. 4 miles dist; 1<sup>st</sup>  
 W. Oak. 5 " " N 7 E. 22 " "

Land soil and timber same as last mile

## West Boundary

r. 620' 2. 161.

North On the East Boundary off sec. 36. T. N. 16. N. R. N. 4 W.

40.00 To a Brook 6 miles wide, Corner E.



16.00	To a Brook, 8 miles wide, Corner S.E.
40.00	Set a post for the cor. off $\frac{1}{4}$ sec. from which a Sugar. 12 in dist. bears S 35 N. 15 miles dist; run Lo. 5 " " " N 59 E. 21 " "
42.00	To a Brook, 10 miles wide, Corner E.
80.00	Set a post for the cor. off sec. 25, & 36 from which a Sugar. 18 in dist. bears S 77 N. 16 miles dist; run Lo. 12 " " " N 15 E. 16 " " Land good for farming; timber Beech, Sugar Oak, Poplar & some Walnut.
North	On the East Boundary of sec. 25 T. N. 16. N. R. N. 3. 2nd
2.00	To a Brook, 8 miles wide, Corner E.
26.00	" " Lo. 8 " " " E.
40.00	Set a post for the cor. off $\frac{1}{4}$ sec. from which a Beech. 14 in dist. bears N 15 W. 16 miles dist; run Lo. 12 " " " S 8 E. 23 " "
80.00	Set a post for the cor. off sec. 24, & 25 from which a Beech 18 in dist. bears S 58 E. 26 miles dist; run Lo. 30 " " " N 70 W. 25 " " Land soil under timber similar to the last mile.
North	On the East Boundary of sec. 24 T. N. 16. N. R. N. 4. 2nd
40.00	Set a post for the cor. off $\frac{1}{4}$ sec. from which a Sugar. 15 in dist. bears N 3 E. 30 miles dist; run Wash. 9 " " " S 9 W. 27 " "
68.00	To a Brook, 10 miles wide, Corner W.
78.00	" " Lo. 15 " " " W.
80.00	Set a post for the cor. off sec. 13 & 24 T. N. 16. N. R. N. 4. 2nd a Beech 4 stands for corner. & a Sugar. 12 in dist. bears N 19 E. 3 miles dist; Land soil under timber same as last mile

196

T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 3 W. 2<sup>n</sup><sup>a</sup> Mer. Ind<sup>a</sup>

North On the East Branch of the 13. T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 4 W.  
 40.00 Set a post for the cor. of 1/4 sec. from which  
 Sugar. 18 in dist. bears. N 48 E. 15 units dist; 1<sup>a</sup>  
 Oak. 30 " " " N 77 W. 14 " "  
 80.00 Set a post for the cor. of sec. 12. & 13. from which  
 Buck. 8 in dist. bears. N 36 E. 26 units dist; 1<sup>a</sup>  
 Sugar. 12 " " " S 5 E. 24 " "  
 Land similar. Part best and some wet. Good for  
 farming;

North On the East Branch of the 12. T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 3 W.  
 40.00 Set a post for the cor. of 1/4 sec. from which  
 Buck. 4 in dist. bears. S 26 W. 10 units dist; 1<sup>a</sup>  
 Sugar. 12 " " " N 40 E. 24 " "  
 53.00 To a Brook. 8 units only. Corner N.R.  
 70.00 " " do. 15 " " " W.  
 80.00 Set a post for the cor. of sec. 1. & 12. from which  
 Sugar. 7 in dist. bears. S 14 W. 20 units dist; 1<sup>a</sup>  
 Buck. 5 " " " N 29 E. 20 " "  
 Land same as last mile. rich and good for farming

North On the East Branch of the 1. T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 4 W.  
 40.00 Set a post for the cor. of 1/4 sec. from which  
 Sugar. 16 in dist. bears. S 40 E. 23 units dist; 1<sup>a</sup>  
 Buck. 14 " " " N 27 W. 34 " "  
 52.00 To a Brook. 30 units only. Corner W.  
 80.00 Set a trap post for the cor. of T. N<sup>o</sup> 16. & 16 N.R. N<sup>o</sup>  
 3 & 4 W. Land so soft and timber similar to the  
 last mile.

Surveyed by  
 William Harris L.S.

D. N. 16. N. R. N. 3 W. 2<sup>nd</sup> Mer. Sud.

### Subdivisions

North	Between Sec. 35 & 36. T. N. 16. R. N. 3 W.
26.44	To a Beech. 20 in dist. Stands in the line.
40.00	Set a post for the cor. off $\frac{1}{4}$ sec. from which a Sugar. 14 in dist. bears N 47. 26 into dish; & a Lb. 15 " " " S 80 E 6 " "
59.37	To a Beech. 30 in dist. Stands in the line.
80.00	Set a post for the cor. off Sec. 25, 26, 35 & 36 from which Sugar. 18 in dist. bears N 20 E 12 into dish; & a Chm. 10 " " " S 157. 30 " "
	Land sold for under 2 <sup>nd</sup> rate; Timber Beech, Sugar, Ash, R. Walnut, & Hickory N 8 Spruce.
East	On a R. random line between Sec. 25 & 36. T. N. 16. R. N. 3 W.
40.00	Set a temp. post for the cor. off $\frac{1}{4}$ sec.
79.82	Intersect the N 8 S. line at the first cor. off Sec. 25 & 36. Land sold for under 2 <sup>nd</sup> rate; Timber Beech, Ash, Sugar, Poplar, Hickory, Elm & Hickory; N 8 Spruce.
West	On the true line between Sec. 25 & 36. T. N. 16. R. N. 3 W.
39.91	Set the temp. post at the cor. dish. on the true line for the cor. off $\frac{1}{4}$ sec. from which a Beech. 9 in dist. bears N 89 E. 5 into dish; & a Sugar. 14 " " " S 89 N. 6 " "
79.82	To the post cor. off Sec. 25, 26, 35 & 36.
North	Between Sec. 25 & 26. T. N. 16. R. N. 3 W.
22.92	To a Poplar. 36 in dist. Stands in the line.
40.00	Set a post. for the cor. off $\frac{1}{10}$ sec. from which cor. Ash. 9 in dist. bears N 81 W. 8 into dish; & a N. Oak 48 " " " N 71 E 28 " "
61.46	To a Beech. 9 in dist. Stands in the line.
80.00	Set a post for the cor. off Sec. 23, 24, 25 & 26 from which

T. N<sup>o</sup> 16. N. R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Sur.

	<p>Beech. 12 in dia. hems. N 27 W. 15 links each; r<sub>g</sub>  Do. 9 " " " N 87 E. 22 " "  Sands or 118 and 2<sup>nd</sup> rate; Timber Beech, Sugar,  Ash, Black. &amp; Elm. M. S. Pine.</p>
East	On a Random line between Sec. 24 & 25 T. N <sup>o</sup> 16. N. R. N <sup>o</sup> 3 W.
40.00	Set a temp. post for the cor. of $\frac{1}{4}$ sec.
79.80	Enter cut the N & S line at the post cor. of sec. 24 & 25. Sands rolling and 2 <sup>nd</sup> rate; Timber Beech, Oak, Poplar & Hick. 13 Walnut & Elm. M. S. Pine.
West	On the true line between Sec. 24 & 25 T. N <sup>o</sup> 16. N. R. N <sup>o</sup> 3 W.
39.90.	Set the temp. post at the cor. dish in the true line for the cor. of $\frac{1}{4}$ sec. from which Beech. 9 in dia. hems. N 18 E. 14 links each; r <sub>g</sub> Do. 16 " " " S 11 W. 9 " "
79.80	To the post cor. of sec. 23, 24, 25. & 26.
North	Between Sec. 23 & 24 T. N <sup>o</sup> 16. N. R. N <sup>o</sup> 3 W.
31.70	To an Elm. 24 in dia. stands in the line.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which Beech. 12 in dia. hems. N 26 7 E. 18 links each; r <sub>g</sub> Do. 12 " " " N 47 W. 16 " "
71.46	To a N. Ash. 36 in dia. stands in the line
80.00	Set a post for the cor. of sec. 13 & 14. 23 & 24 from which Beech. 9 in dia. hems. N 8 E. 13 links each; r <sub>g</sub> Do. 14 " " " S 81 W. 30 " " Sands level and 2 <sup>nd</sup> rate; Timber Beech, Sugar, Ash, Elm. Poplar & Hick. M. S. Pine.
East	On a Random line between Sec. 13 & 24 T. N <sup>o</sup> 16. N. R. N <sup>o</sup> 3 W.
40.00	Set a temp. post for the cor. of $\frac{1}{4}$ sec.
79.80	Enter cut the N & S line at the post cor. of sec. 13 & 24.



T. N° 16. N.R. N° 3 M. 2<sup>nd</sup> Mer. Sud.

Timber Beech Ash Sugar Poplar Hickory, & Elm.  
W. S. Pine.

West  
39.90 On the true line between Sec 13 & 24 T. N° 16. N.R. N° 3 M.  
Set the temporary post at the corner ditch in the true line for  
the cor. of 1/4 sec. from which  
Sugar 11 in dist. bears N 62° E. 16 miles dist; & a  
Poplar 14 " " S 77° W. 15 " "  
79.80 To the post cor. of sec. 13 & 24 23 & 24

North  
33.16 Return Sec. 13 & 14 T. N° 16. N.R. N° 3 M.  
40.00 To a Sugar 24 in dist. stands in the line.  
Set a post for the cor. of 1/4 sec. from which  
Hickory 12 in dist. bears N 42° E. 8 miles dist; & a  
Sugar 30 " " " N 89° W. 17 " "  
67.08 To a Buckeye 8 in dist. stands in the line.  
69.50 " " Birch 75 miles wide, corner S. M.  
80.00 Set a post for the cor. of sec. 11, 12, 13, & 14 from which  
Beech 9 in dist. bears N 1° W. 15 miles dist; & a  
W. Oak 18 " " S 63° E. 16 " "  
Lands roll 8 and 2<sup>nd</sup> rate; Timber Beech Sugar,  
W. Oak, Ash, and Hickory W. S. Pine.

East  
40.00 On a Pandura line between Sec. 12 & 13 T. N° 16. N.R. N° 3 M.  
79.84 Set a temporary post for the cor. of 1/4 sec.  
Enter at the East Boundary at the post cor. of sec. 12 & 13.  
Lands roll 8. and 2<sup>nd</sup> rate; Timber Beech Hickory  
Ash Poplar & W. Oak. W. S. Pine.

West  
39.92 On the true line Return Sec. 12 & 13. T. N° 16. N.R. N° 3 M.  
Set the temporary post at the corner ditch in the true line  
for the cor. of 1/4 sec. from which  
Beech 6 in dist. bears S 74° E. 10 miles dist; & a



T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 377. 2<sup>nd</sup> Mer. Ind?

1/984 Beech. 9 in diam. trees N10 W 9 links dist;  
To the post cor. of sec. 11, 12, 13 & 14.

North  
20 63. Return Sec. 11 & 12 T. N<sup>o</sup> 16 N.R. N<sup>o</sup> 377.  
140.00 To a N. Oak. 36 in diam. stands in the line.  
Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
Sugar. 14 in diam. trees. N63 W. 8 links dist; on  
Co. 18 " " " N51 W. E 17 " "  
69.40 To a Beech. 16 in diam. stands in the line.  
80.00 Set a post for the cor. of  $\frac{1}{4}$  sec. 1, 2, 11 & 12 from which  
a Beech. 6 in diam. trees. N34 W. 17 links dist; on  
Co. 9 " " " S84 E. 20 " "  
Sands soil 8 and 2<sup>nd</sup> rate; Timber Beech, Sugar,  
Ash, N. Oak, & Hickory W. S. Pine.

East  
40.00 On a Random line between Sec. 1 & 12 T. N<sup>o</sup> 16 N.R. 377.  
1/986 Set a temp<sup>y</sup> post for the cor. of  $\frac{1}{4}$  sec.  
Intersect the E. Boundary at the post cor. of sec. 1 & 12  
Sands soil and 2<sup>nd</sup> rate; Timber Beech, Elm,  
Hickory, Sugar, Ash, & N. Oak, W. S. Pine & Birch.

1/1024 On the true line between Sec. 1 & 12 T. N<sup>o</sup> 16 N.R. N<sup>o</sup> 377.  
39.93 Set the temp<sup>y</sup> post at the cor. distant the true line for  
the cor. of  $\frac{1}{4}$  sec. from which a  
Beech 9 in diam. trees. S54 E 19 links dist; on  
Co. 12 " " " S70 W. 12 " "  
1/986 To the post cor. of sec. 1, 2, 11 & 12.

North  
28.47 Return Sec. 1 & 12 T. N<sup>o</sup> 16 N.R. N<sup>o</sup> 377.  
40.00 To a Beech. 18 in diam. stands in the line.  
Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
Beech 24 in diam. trees. N30 W. 21 links dist; on  
Co. 30 " " " S22 W. E 18 " "

78.16	To a B. Oak. 24 in dia. stands in the line.
88.00	Entered the N. B. road and set a post for the cor. off Lat. 1 & 2 from which cor. Elev. 24 in dia. trees N 75 W 12 miles dist; or B. Oak 9 " " N 40 E. 25 " " Lands sold and 2nd rate; Timber Beech, Br. Oak. B. Walnut & B. Oak, & by camms. W 8 Spin & B. Oak.
North	Between Lat. 34 & 35. J. N. 16. N. R. N. 3 W.
5.25	To a Brook. 10 miles wide, Corner J. W. Between 5 ch & 25 lbs. and 24 ch. & 25 lbs. crossed the same Brook 6 times
40.00	Set a post for the cor. of 74 re. from which a Beech. 4 in dia. trees. S 82 E. 19 miles dist; or W. Oak 14 " " " S 52 W. 21 " "
69.80	To a Brook. 8 miles wide, Corner J. W. between 69.80 ch. & cor. post crossed stream 6 times
80.00	Set a post for the cor. off Lat. 26. 27. 34 & 35 from which W. Walnut. 24 in dia. trees N 44 W. 41 miles dist; or Beech. 16 " " " S 78 E. 42 " " Lands sold and 2nd rate; Timber Beech, W. Oak, & Hick & W 8 Spin Ironwood &c.
East	On a R. road line between Lat. 26 & 35. J. N. 16. N. R. N. 3 W.
0.10	To a Brook. 8 miles wide, Corner J. W.
40.00	Set a temporary post for the cor. off 74 re.
80.00	Entered the N. B. line 14 miles S. of the post cor. off Lat. 25, 26 35 & 36. Lands sold & 2nd rate; Timber Beech Sugar Hick &c. W 8 Spin.
West	On the same line between Lat. 26 & 35. J. N. 16. N. R. N. 3 W.
40.00	Set the temporary post at the above with in the true line

T. N<sup>o</sup> 16 N.R. N<sup>o</sup> 37. 2nd Mer. Sur.

For the cor. off 74 ac. from which

North 22 in dir. bears N 7 1/2 E 10 links dist; 1 a,

West 22 " " S 17 3/4 E 35 " "

80.00 To the post cor. of sec. 26, 27, 34 & 35

North Return Sur. 26, 27 T. N<sup>o</sup> 16 N.R. N<sup>o</sup> 37.

15.50 Crossed a Brook 6 links wide. 4 times

18.50 To a Sugar. 20 in dir. stands in the line.

40.00 Set a post for the cor. off 74 ac. from which

Sugar. 7 in dir. bears S 19 7/8 E 6 links dist; 1 a,

West 8 " " N 43 7/8 W 21 " "

62.80 To a N E 16 in dir. stands in the line.

80.00 Set a post for the cor. of sec. 22, 23, 26, & 27 from which

a Brook. 7 in dir. bears N 16 1/2 E 7 links dist; 1 a,

16. 7. " " S 39 7/8 W 10 " "

Scrub roll 8 and 2nd rate; Sugar Beech. Sugar  
Hickory, N Oak, &c. W 8 Spruce.

East On a Random line between Sur. 23 & 26 T. N<sup>o</sup> 16 N.R. N<sup>o</sup> 37.

40.00 Set a temporary post for the cor. off 74 ac. from which

80.00 Intersect the N & S line 14 links S of the post cor. off  
sec. 23, 24, 25 & 26

Scrub roll 8 and 2nd rate; Sugar Beech. Sugar

Hickory, N Oak, N Ash and Poplar. W 8 Spruce Ash,

West On the true line between Sur. 23 & 26 T. N<sup>o</sup> 16 N.R. N<sup>o</sup> 37.

40.00 Set the temporary post at the av. dist. on the true line for  
the cor. off 74 ac. from which

West 6 in dir. bears N 82 1/2 E 12 links dist; 1 a,

Poplar 36 " " S 5 E 28 " "

80.00 To the post cor. of sec. 22, 23, 26 & 27.

North Return Sur. 22, 23 T. N<sup>o</sup> 16 N.R. N<sup>o</sup> 37.

20.40	To a Poplar 16 in diam. stands in the line.
40.00	Set a post for the cor. off $\frac{1}{4}$ sec. from which W. Oak. 30 in diam. stands S 21 E. 18 miles west; 2 <sup>nd</sup> Poplar. 30 " " " N 20 7/2 E 21 " "
58.75	To a Beech. 10 in diam. stands in the line.
80.00	Set a post for the cor. off sec. 14, 15, 22, & 23 from which Beech. 14 in diam. bears S 19 N. 16 miles west; 1 <sup>st</sup> Sugar 14 " " " N 37 N. 22 " " Lumber rolls made 2 <sup>nd</sup> rate. Lumber Beech, Sugar, W. Oak. & Poplar, W. Spruce & Ironwood.
East	On a Random line between Sec. 14 & 23. I. N <sup>o</sup> 16 N.R. N <sup>o</sup> 3 N.
40.00	Set a temporary post for the cor. off $\frac{1}{4}$ sec.
61.00	To a small brook, Lumber N. 4 N.
80.00	Enter the N 13 line at the post cor. off sec. 13, 14, 23 & 24 Lumber rolls made 2 <sup>nd</sup> rate. Lumber Beech, Sugar, Hickory, W. Oak, &c. W. Spruce.
West	On the true line between Sec. 14 & 23 I. N <sup>o</sup> 16 N.R. N <sup>o</sup> 3 N.
40.00	Set a post (temporary) at the av. dist. in the true line for the cor. off $\frac{1}{4}$ sec. from which Poplar. 28 in diam. bears N 8 7/2 N. 16 miles west; 1 <sup>st</sup> Beech. 16 " " " S 42 E. 17 " "
80.00	To the post cor. off sec. 14, 15, 22, & 23.
North	Between Sec. 14 & 15 I. N <sup>o</sup> 16 N.R. N <sup>o</sup> 3 N.
19.40	To a Poplar. 30 in diam. stands in the line.
37.50	" " Brook. 75 miles wide, Lumber N.
40.00	Set a post for the cor. off $\frac{1}{4}$ sec. from which Sugar. 12 in diam. bears N 15 N. 20 miles west; 1 <sup>st</sup> H. 13 " " " S 62 E. 27 " "
65.15	To a Sugar. 14 in diam. stands in the line
80.00	Set a post for the cor. off sec. 10, 11, 14, & 15 from which



N<sup>o</sup> 16 N.R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

a W Oak. 36 in diam. Stands N 5 E. 23 units dist; 1<sup>st</sup>  
 L<sup>o</sup>. 32 " " " S 3 E. 54 " "  
 L<sup>o</sup> broken soil 2<sup>nd</sup> rate; Timber Buck Sugar  
 W Oak. Hickory & Poplar. W 8 Spin.

East On a Random line between Sec. 11. & 14 T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 3 W.  
 11.28 To a Buck. 15 in diam. midy. Course S 77.  
 40.00 Set a temp. post for the cor. off 1/4 sec.  
 80.00 To meet the N & S line at the post cor. of sec. 11. 12  
 13 & 14 L<sup>o</sup> broken. Soil 2<sup>nd</sup> rate, Timber  
 W Oak, Poplar. Buck & Sugar, &c. W 8 Spin Ironwood  
 & Log woods &c.

West On the true line between Sec. 11. & 14 T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 3 W.  
 40.00 Set the temp. post at the aver. dist on the true line.  
 for the cor. off 1/4 sec. from which a  
 Buck. 5 in diam. bears N 69 1/2 E. 10 units dist; 1 1/2  
 Sugar. 13 " " " S 57 1/2 W. 11 " "  
 80.00 To the post cor. of sec. 10. 11. 14 & 15.

North Between Sec 10 & 11 T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 3 W.  
 30.20 To a Hickory 20 in. diam. stands in the line.  
 40.00 Set a post for the cor. off 1/4 sec. from which a  
 W Oak. 30 in diam. bears North 17 units dist; 1 1/2  
 Buck 13 " " " S 15 1/2 W 44 " "  
 60.49 To a B. Ash, 18 in diam. stands in the line.  
 80.00 Set a post for the cor. of sec. 2, 3, 10, & 11 from which a  
 Buck 12 in diam. bears N 67 N. 6 units dist; 1 1/2  
 L<sup>o</sup>. 12 " " " N 2 E. 34 " "  
 L<sup>o</sup> broken 1/2 mile N of 8. 2<sup>nd</sup> rate. Flat; Soil.  
 2<sup>nd</sup> rate; Timber Buck Sugar, W Oak. Poplar.  
 B. Ash. &c. W 8 Spin, Ironwood & B. Ash.



East On a Random line between Sec. 2. & 11. T. N. 16. R. 3<sup>rd</sup> W.  
 40.00 Set the temp<sup>t</sup> post for the cor. of 1/4 Sec.  
 80.00 Intersected the N. & E. line 5 links S. of the post set for  
 the cor. of Sec. 1, 2, 11. & 12. Land 1<sup>st</sup> 1/2 mile flat &  
 3<sup>rd</sup> rate. 2<sup>nd</sup> & 3<sup>rd</sup> rate. Timber, Beech  
 Sugar. W. Oak. Poplar Hick<sup>o</sup> &c. Wg Spice &c.

West On the true line between Sec. 2. & 11. T. N. 16. R. 3<sup>rd</sup> W.  
 40.00 Set the temp<sup>t</sup> post at the aver. dist. on the true line  
 for the cor. of 1/4 Sec. From which a  
 W. Oak 18 in. diam. bears N. 25. 1/2. W. 27. links. dist. &c  
 Beech 10. " " " S. 39. E. 24. " "  
 80.00 To the post for the cor. of Sec. 2, 3, 10. & 11.

North Between Sec. 2 & 3. I No 16. N.R. No 3 W.  
 19.59 To a Poplar 24 in. diam. stands in the line.  
 40.00 Set a post for the cor. of 1/4 Sec. From which a  
 Beech 12 in. diam. bears N 86 W. 24 links each; & a  
 do. 6 " " " N 22 E. 22 " "  
 70.40 To a Beech 12 in. diam. stands in the line.  
 88.00 Intersect the N. & W. line and set the post for the cor.  
 of sec. 2 & 3. From which a  
 Beech 14 in. diam. bears N 72 W. 3 links each; & a  
 do. 12 " " " S 28 E. 33 " "  
 Land well made soil 2<sup>nd</sup> rate; Corn & 7 Beech Sugar  
 W. Oak, Hick<sup>o</sup> & Poplar &c. W. 8. Spin. Ash & B. Hallow.

North Between Sec. 33 & 34 I No 16. N.R. No 3 W.  
 26.57 To an R. Oak 36 in. diam. stands in the line.  
 40.00 Set a post for the cor. of 1/4 Sec. From which a  
 Beech 18 in. diam. bears N 44 W. 36 links each; & a  
 do. 9 " " " N 58 W. 30 " "  
 75.64 To a Beech 16 in. diam. stands in the line.

## T. N. 16. N. R. N. 37. 2nd Mer. Ind.

86.00 Let a post for the cor. of sec. 27, 28, 33, & 34 from which  
Beck. 18 in diam. beams. N 37 1/2 E 19 links dist; 1 a  
Sugar. 14 " " " N 88 E. 12 " "  
Sands broken. Soil 2nd rate; Timber Beck, Sugar,  
Ash, White, & B. Walnut; & W. Spruce.

East On a Random line between Sec. 27 & 34 T. N. 16. N. R. N. 37  
40.00 Let a temp. post for the cor. of 1/4 Sec.  
79.80 Intersect the N. R. line at the post cor. of sec. 26, 27,  
34, & 35. Sands & m. s. Soil 2nd rate; Timber  
Beck, Sugar, Ash, Poplar, & B. Walnut. Hickory  
& W. Spruce.

West On the true line between Sec. 27 & 34 T. N. 16. N. R. N. 37  
39.90 Let the temp. post at the av. dist. on the true line for  
the cor. of 1/4 Sec. from which  
Sugar 17 in diam. beams. N 73 E. 12 links dist; 1 a  
Do. 12 " " " N 20 E. 33 " "  
79.80 To the post cor. of sec. 27, 28, 33, & 34

North Between Sec. 27, 28, T. N. 16. N. R. N. 37.  
40.00 Let a post for the cor. of 1/4 Sec. from which  
Sugar. 9 in diam. beams. N 23 1/2 E. 17 links dist; 1 a  
Do. 14 " " " S 31 1/2 E. 40 " "  
68.70 To a Beck. 18 in diam. stands on the line.  
88.00 Let a post for the cor. of sec. 21, 22, 27, & 28 from  
which an H. Oak. 4 in diam. beams. N 15 1/2 E. 7 links dist; 1 a  
m. s. Poplar. 36 " " " S 82 E. 21 " "  
Sands & m. s. 2nd rate; Timber Beck, Sugar,  
Ash, White, Poplar, & B. Walnut. Hickory. W. Spruce.

East On a Random line between Sec. 22, & 27 T. N. 16. N. R. N. 37.  
17.00 To a Beck 12 links. m. s. Corner N. R.

4000 . Set a temp. post for the cor. of 74 Re.  
 79.75 Intersect the N 15 line at the first cor. of sec. 22, 23,  
 26, 27. Land sold under 2<sup>nd</sup> rate. Timber Buck  
 Sugar, Ash, White Oak, Hickory & Poplar, W. S. Pine.

West On the line between Sec. 22 & 27 I. N. 16. N. R. N. 3 W.  
 39.875 Set a temp. post at the cor. dish on the line from  
 the cor. of 74 Re. from which a  
 Sugar. 16 in dia. beam. N 37 E. 16 links dish; 1 a.  
 Buck 9 " " S 70 W. 20 " "  
 79.75 To the post cor. of sec. 21, 22, 27 & 28.

North Between Sec. 21 & 22 I. N. 16. N. R. N. 3 W.  
 26.71 To a Buck 8 in dia. stands in the line  
 32.60 " " Brook 12 links wide. Comes N. W.  
 40.00 Set a post for the cor. of 74 Re. from which an  
 Ironwood 6 in dia. beam. N 4 E. 15 links dish; 1 a.  
 Buck 4 " " S 37 W. 7 " "  
 66.25 To a Oak 15 in dia. stands in the line.  
 71.50 " " Oak 75 links wide. Comes S. W.  
 80.00 Set a post for the cor. of sec. 15, 16, 21 & 22 from which  
 Sugar. 30 in dia. beam. N 4 E. 36 links dish; 1 a.  
 Buck 16 " " S 42 W. 8 " "  
 Land sold under 2<sup>nd</sup> rate; Timber Buck, Sugar  
 Ash, Sycamore. 19 Oak & 73 Walnut. W. S. Pine  
 & Poplar.

East On a Random line between Sec. 15 & 22 I. N. 16. N. R. N. 3 W.  
 7.50 To a Brook 75 links wide. Comes S. E.  
 40.00 Set a temp. post for the cor. of 74 Re.  
 79.75 Intersect the N 13 line at the post cor. of sec. 14,  
 15 & 22, 23. Land much broken. & sold 2<sup>nd</sup> rate.  
 Timber Buck. W. Oak, Poplar, Sugar, & W. Pine

T. N<sup>o</sup> 16 N.R. N<sup>o</sup> 3 N. 2<sup>nd</sup> Mer. S. d.

West On the true line between Sec. 15 & 22 T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 3 N.  
39.87 1/2 Set the temp. post on the true line for the cor. of  
74 cu. at the av. dist from which a  
Sugar. 6 in dia. bears S 88 E. 40 links dist; 1 in,  
Beck. 18 " " " N 45 W. 5 " "  
79.75 To the post cor. of sec. 15. 16. 21. & 22.

North Between Sec. 15 & 16 T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 3 N.  
19.78 Do a Beck. 24 in dia. stands on the line.  
40.00 Set a post for the cor. of 74 cu. from which a  
Beck. 16 in dia. bears N 63 W. 42 links dist; 1 in,  
Do. 16 " " " N 83 E. 17 " "  
55.00 Do a Poplar. 48 in dia. stands on the line.  
80.00 Set a post for the cor. of sec. 9. 10. 15 & 16. from which  
Poplar. 36 in dia. bears N 33 E. 16 links dist; 1 in,  
Do. 30 " " " N 33 W. 4 " "  
Scends with 8. and 2<sup>nd</sup> rate. Timber Beck Sugar.  
McClure Poplar Hickory & Elm. 28 Spruce.

East On a Random line line between Sec. 10. & 13 T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 3 N.  
40.00 Set a temp. post for the cor. of 74 cu. for  
79.75 Enter cut the N. S. line at the post cor. of sec. 10. 11. 14 & 15  
Scends with 8. and 2<sup>nd</sup> rate; Timber Beck. 'N' Oak.  
Ash. W. Oak, Hickory, Poplar, B. Oak, & Sugar. 28 Spruce.

West On the true line between Sec. 10 & 15 T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 3 N.  
39.87 1/2 Set the temp. post at the av. dist on the true line for  
the cor. of 74 cu. from which a  
Beck. 10 in dia. bears N 15 E. 10 links dist; 1 in,  
Sugar. 14 " " " S 65 W. 9 " "  
79.75 To the post cor. of sec. 9. 10. 15 & 16.

North Between Sec. 9 & 10 T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 3 N.



I N<sup>o</sup> 16. N.R. N<sup>o</sup> 37. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

17.12 To a N. Ash 12 in. diam. Stands in the line.  
 40.00 Set a post for the cor. of 74 Sec. from which a  
 Beech 14 in. diam. bears. N 61 E. 7 links dist; ran  
 W. Ash 18 " " " S 29 N. 211 " "  
 59.08 To a N. Ash 30 in. diam. Stands in the line.  
 80.00 Set a post for the cor. of Sec. 3, 4, 9 & 10 from which a  
 Beech 14 in. diam. bears. S 78 E. 28 links dist; ran  
 Co. 9 " " " N 88 W. 23 " "  
 Sunde with 1<sup>st</sup> and 2<sup>nd</sup> rate. Timber Beech, Sugar,  
 Ash, White, & Black, Elm, & Poplar, W. Spruce.

East On a Meridian between Sec. 3 & 10. I N<sup>o</sup> 16 N.R. N<sup>o</sup> 37.  
 40.00 Set a temporary post for the cor. of 74 Sec.  
 79.75 Intersect the N. S. line at the first cor. of Sec. 2, 3, 10 & 11.  
 Sunde level and 2<sup>nd</sup> rate. Timber Beech, Sugar, Ash,  
 White, Hickory and Poplar. W. Spruce & Hazel.

West On the true line between Sec. 3 & 10. I N<sup>o</sup> 16 N.R. N<sup>o</sup> 37.  
 39.87 1/2 Set the temporary post at the av. dist. on the true line for the  
 cor. of 74 Sec. from which a  
 Sugar 12 in. diam. bears. S 61 E. 18 links dist; ran  
 Hickory 30 " " " S 33 N. 26 " "  
 79.75 To the post cor. of Sec. 3, 4, 9 & 10.

North Between Sec. 3 & 4. I N<sup>o</sup> 16 N.R. N<sup>o</sup> 37.  
 28.25 To a Poplar 60 in. diam. Stands in the line.  
 40.00 Set a post for the cor. of 74 Sec. from which a  
 Sugar 10 in. diam. bears. S 71 E. 5 links dist; ran.  
 Elm 30 " " " N 79 W. 24 " "  
 58.00 To a Birch 12 links wide, Corner N. W.  
 61.75 " " Beech 12 in. diam. Stands in the line.  
 87.90 Intersect the N. B. line and set a post for the cor. of  
 Sec. 3 & 4 from which a "



T. N. 16. R. N. 37. 2<sup>nd</sup> Mer. Sec.

Beech. 12 in diam. bears. N 30 E. 12 units dist; 1<sup>st</sup>   
 Lb. 14 " " " S 23 N. 12 " "   
 Lands roll 8 and 2<sup>nd</sup> rate; Timber Beech, Sugar,   
 Ash, W Oak, Poplar, &c. W 8 Spruce.

North Between Sec. 32 & 33. T. N. 16. R. N. 37.   
 20.40 To a Sugar. 16 in diam. Stands in the line.   
 40.00 Set a post for the cor. of 74 Sec. from which a   
 Sugar. 17 in diam. bears. S 58 E. 5 units dist; 1<sup>st</sup>   
 Spruce. 30 " " " N 19 E. 12 " "   
 63.80 To a Poplar. 12 in diam. Stands in the line.   
 80.00 Set a post for the cor. of Sec. 28, 29, 32 & 33 from which   
 a Wild Cherry 13 in diam. bears. S 55 N. 20 units dist   
 and a Beech. 18 " " " N 7 E. 25 " "   
 Lands roll 8 and 2<sup>nd</sup> rate; Timber Beech, Sugar,   
 W Oak, Poplar, &c. W 8 Spruce + Ironwood.

East On a standard line between Sec. 28 & 33 T. N. 16. R. N. 37.   
 40.00 Set a temporary post for the cor. of 74 Sec.   
 80.44 Intersect the N 18 line which South of the post cor. of   
 Sec. 27, 28, 33, & 34   
 Lands roll and 2<sup>nd</sup> rate; Timber Beech, Ash, Hickory   
 and Poplar, W 8 Spruce.

West On the true line Between Sec. 28 & 33. T. N. 16. R. N. 37.   
 40.22 Set the temporary post at the cor. dist on the true line for   
 the cor. of 74 Sec. from which   
 W. Ash. 14 in diam. bears N 53 N. 9 units dist; 1<sup>st</sup>   
 Spruce. 13. " " " S 14 E. 18 " "   
 80.44 To the post cor. of Sec. 28, 29, 33 & 32.

North Between Sec. 28 & 29 T. N. 16. R. N. 37.   
 17.10 To a Sugar. 16 in diam. Stands in the line.

40.00	Set a post for the cor. off 74 cu. from which Height 36 in air beam. N48 E. 6 units dist; run Back 13 " " " S48 W. 10 " "
43.30	To spring branch - becomes N.W.
56.00	" " " " " " " "
61.70	" " Sugar, 18 in air stands in the line.
80.00	Set a post for the cor. off 20. 21. 28 & 29 from which Back 13 in air beam. S107 W. 4 units dist; run Height 44 " " " N28 E. 2 " " Land very broken soil 2 <sup>nd</sup> rate, Timber Buck, Sugar, Height 11 Oak, Poplar Old Spruce.
East	On a Random line between Lat. 21. 128 I N <sup>o</sup> 16. N.R. 13 W.
40.00	Set a post for the cor. off 74 cu. timber
80.40	Take out the N18 line. at the post cor. off 21. 20 27. 128. Land broken & soil 2 <sup>nd</sup> rate, Timber Back Height Poplar & c. Old Spruce.
West	On the line between Lat. 21. 128 I N <sup>o</sup> 16. N.R. N <sup>o</sup> 3 N.
40.20	Set the timber post at the cor. dist on the line for the cor. off 74 cu. from which Sugar 16 in air beam. N49 E 7 units dist; run Back 13 " " " S27 W 16 " "
80.40	To the post cor. off 20. 21 28 & 29.
North	Between Lat. 20 & 21 I N <sup>o</sup> 16. N.R. N <sup>o</sup> 3 N.
29.45	To a Back 13 in air stands in the line.
40.00	Set a post for the cor. off 74 cu. from which Back 8 in air beam. South 5 units dist; run Lo. 9 " " " N28 E. 10 " "
41.50	To a creek 75 units wide, comes S.W.
61.75	" " Oak, 30 in air stands in the line.
80.00	Set a post for the cor. off Lat. 16 17. 20. 121. from which

I. N. 16. N. R. N. 37. 2nd Mer. Sud. a.

Sugar 17 in diam. trunks. S 77 N. 10 units diam; r. n.  
 Buck. 17 " " " N 66 E. 20 " "  
 Sande hill, end. 2nd rate. Timber Buck,  
 Sugar. Hickory, W Oak, W Ash, 10 Old Spruce.

East On a Randam line between Sec. 16 & 21. I. N. 16. N. R. 37.  
 19.30 To a Spring branch corner S.E.  
 32.50 " " " " " " S.  
 40.00 Set a temp. post for the cor. of 74 Sec.  
 42.00 To a Spring branch corner S.  
 80.40 Intersect the N. 37 line at the post cor. of Sec. 15. 16. 21. 182.  
 Sande broken 1 2nd rate; 2nd 1/2 mile N. 1st rate bottom.  
 Timber Buck, W Oak, Hickory, B Walnut. Elm &  
 W. Spruce.

West On the true line between Sec. 16 & 21. I. N. 16. N. R. N. 37.  
 40.20 Set the temp. post at the av. diam. in the true line.  
 for the cor. of 74 Sec. from which  
 Buck. 5 in diam. trunks. N 67 N. 18 units diam; r. n.  
 Do. 6 " " " S 27 N. 25 " "  
 80.40 To the post cor. of Sec. 16. 17. 20. & 21.

North Between Sec. 16. & 17. I. N. 16. N. R. N. 37.  
 17.70 To a Buck. 18 in diam. stands in the line.  
 40.00 Set a post for the cor. of 74 Sec. from which  
 Sugar. 10 in diam. trunks. S 52 E. 13 units diam; r. n.  
 Do. 13 " " " N 34 N. 39 " "  
 61.03 To a Buck. 12 in diam. stands in the line.  
 80.00 Set a post for the cor. of Sec. 8. 9. 16. & 17 from which  
 Poplar 30 in diam. trunks. S 65 N. 19 units diam; r. n.  
 Buck. 16 " " " N 37 E. 18 " "  
 Sande coll. & 2nd rate. Timber Buck. Sugar W Oak  
 Poplar &c. Old Spruce.

T. N<sup>o</sup> 16. N. R. N<sup>o</sup> 377. and Mrs. Luda.

East	On a Random line between Sec. 9 & 16. T. N <sup>o</sup> 16. N. R. 377
40.00	Set a post (temp <sup>y</sup> ) for the cor. of 74 sec.
80.36	Intersect the N & S line 6 links S. of the post cor. of sec. 9 & 10. 15 & 16. Lumber land and 2 <sup>nd</sup> rate, Timber Buck, Hickory, Oak, Ash, & Bass, & Spruce
West	On the true line between Sec. 9 & 16. T. N <sup>o</sup> 16. N. R. 377
40.18	Set the temp <sup>y</sup> post at the av. dist. in the true line for the cor. of 74 sec. from which Poplar. 18 in diam. bears S 57 W. 18 links dist; 1 <sup>st</sup> r. Oak. 18 " " N 33 E. 12 " "
80.36	Set the post cor. of sec. 8. 9. 16 & 17.
North	Between Sec. 8 & 9 T. N <sup>o</sup> 16. N. R. N <sup>o</sup> 377.
19.65	To a N. Elm. 24 in diam. stands in the line.
40.00	Set a post for the cor. of 74 sec. from which Buck. 10 in diam. bears. N 28 W. 3 links dist; 1 <sup>st</sup> r. Hickory 20 " " " S 60 E. 9 " "
67.65	To a Sugar. 18 in diam. stands in the line.
80.00	Set a post for the cor. of sec. 4, 5, 8 & 9 from which Hickory 22 in diam. bears. N 47 E. 9 links dist; 1 <sup>st</sup> r. Oak. 10 " " " N 71 W. 45 " " Lumber land and 2 <sup>nd</sup> rate, Timber Buck, Sugar, Hickory Oak, Ash, & Spruce.
East	On a Random line between Sec. 4 & 9 T. N <sup>o</sup> 16. N. R. N <sup>o</sup> 377.
40.00	Set a temp <sup>y</sup> post for the cor. of 74 sec.
80.40	Intersect the N & S line at the post cor. of sec. 3, 4, 9 & 10. Lumber land and 2 <sup>nd</sup> rate; Timber Buck, Oak, N. Oak, Hickory, Poplar & Sugar, & Spruce.
West	On the true line between Sec. 4 & 9 T. N <sup>o</sup> 16. N. R. N <sup>o</sup> 377
40.20	Set the temp <sup>y</sup> post at the av. dist. in the true line for.



T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Sud<sup>th</sup>.

the cor. of 74<sup>th</sup> St. from which a  
 Brook. 14 in diam. bears S 22 W. 18 links dist; to  
 Co. 15 " " " N 73 E. 18 " "  
 80.40 To the post cor. of sec. 4, 5, 8 & 9.

North Return Sec. 4 & 5 T. N<sup>o</sup> 16 N.R. N<sup>o</sup> 3 W.  
 19.30 To a Brook. 16 in diam. stands in the river.  
 27.00 " " Brook. 10 links wide, corner W.  
 40.00 Set a post for the cor. of 74<sup>th</sup> St. from which a  
 Brook. 4 in diam. bears N 38 W. 16 links dist; to  
 Co. 20 " " " S 10 E. 40. " "  
 58.58 To a W. Oak. 18 in diam. stands in the river.  
 87.00 Intersect the N. Borneo and set a post for the cor.  
 of sec. 4 & 5 from which a  
 Sugar. 24 in diam. bears S 85 E. 12 links dist; to  
 Hickory 20 " " " N 82 E. N 37 " "  
 Shade roll 8 and 2<sup>nd</sup> rate; Timber 7 Brook, Sugar,  
 W. Oak, Hickory, W. Oak, 1 Poplar, W. Spruce & Paperwood.

North Return Sec. 31 & 32 T. N<sup>o</sup> 16 N.R. N<sup>o</sup> 3 W.  
 5.00 Run in a stream 75 links and left it on the West  
 16.00 Crossed stream 75 " " corner N.W.  
 23.61 To a Brook. 14 in diam. stands in the river.  
 40.00 Set a post for the cor. of 74<sup>th</sup> St. from which a  
 Sugar. 24 in diam. bears South 1 link dist; to  
 65.00 To a Brook. 12 links wide, corner S.E.  
 80.00 Set a post for the cor. of sec. 29, 30, 31 & 32 from which a  
 Brook. 14 in diam. bears N 44 E. 15 links dist; to  
 Sugar. 6 " " " S 45 W. 5 " "  
 Shade roll 8 and 3<sup>rd</sup> rate; Timber 7 Brook, Poplar,  
 W. Oak, Hickory & Sassafras. W. Logwood.

East On a Random line between Sec. 29 & 32 T. N<sup>o</sup> 16 N.R. N<sup>o</sup> 3 W.

T. N<sup>o</sup> 16. N. R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Sec<sup>o</sup>.

9.00	To Laborah, 75 miles wide, Commence S. W.
240.00	Set a temporary post for the cor. of 1/4 Sec.
80.00	Enter out the N. & S. line at the first cor. of sec. 28, 29, 30, 31, 32. Land broken until 2 <sup>nd</sup> rate; Timber & Bush. Sugar, W. Oak, W. Walnut, W. Oak, etc. W. & S. Pine.
West	On the new line between Sec. 29 & 30 T. N <sup>o</sup> 16 N. R. N <sup>o</sup> 3 W.
40.00	Set a post for the cor. of 1/4 Sec. at the end of the line. true line for the cor. of 1/4 Sec. from which Sugar, 10 in diam. trees. N. & S. 7. 4 miles distant. 1 in. Ironwood 41, " " S. 5 W. 26, " "
80.00	To the post for the cor. of sec. 29, 30, 31, & 32.
West	Return Sec. 30 & 31 T. N <sup>o</sup> 16 N. R. N <sup>o</sup> 3 W.
6.10	To a Spring from which the water, Commence —
18.15	" " " " 12 " " " S. E.
19.07	" " " " 12 " " " N. E.
24.63	To another Oak, 12 in diam. stands in the line
40.00	Set a post for the cor. of 1/4 Sec. from which Bush, 9 in diam. trees. S. 42° E. 8 miles distant, 1 in. 140. 13 " " " N. 73° W. 25 " "
51.69	Enter out the West Boundary 16 miles N. of the post cor. of sec. 25 & 36 T. N <sup>o</sup> 16 N. R. N <sup>o</sup> 4 W. and set a post for the cor. of sec. 30 & 31 from which Sugar, 13 in diam. trees. S. 83° E. 4 miles distant, 1 in. 140. 13 " " " N. 62° W. 19 " "
	Land broken 2 <sup>nd</sup> rate; Timber & Bush. Sugar, Poplar & Hemlock; W. & S. Pine.
North	Between Sec. 29 & 30 T. N <sup>o</sup> 16 N. R. N <sup>o</sup> 3 W.
24.84	To a Bush, 9 in diam. stands in the line.
40.00	Set a post for the cor. of 1/4 Sec. from which Poplar, 24 in diam. trees. (West. 2 miles distant; 1 in.

*L. N. 16. N. R. N. 37. 2<sup>nd</sup> Mer. Sec. 2*

64.80	Poplar. 24 in diam. trees. N 17 E 30 miles dist;
67.75	Iron Brook. 12 hrs ride, Comes S.E.
81.00	" " N Oak, 24 in diam. Stands in the line.
	Set a post for the cor. of sec. 19. 20. 29 & 30 from which a
	Beck 12 in diam. trees. S 57 E 8 miles dist; & a
	Loc. 24 " " " N 66 W. 28 " "
	Land is hilly and 3 <sup>rd</sup> rate; Timber Beech, Sugar,
	N. Oak, Poplar, Hickory & N Oak, W. Spruce, & Ironwood.
<hr/>	
East	On a Random line between Sec. 20 & 29 L. N. 16 N. R. 37.
33.00	Iron Brook. 8 miles ride, Comes S.E.
40.00	Set a temporary post for the cor. of the sec.
60.38	Iron Brook. 75 miles ride, Comes S.W.
80.00	Intersect the N & S line at the post cor. of sec. 20. 21. 28.
	and 29 Land very broken. Soil 2 <sup>nd</sup> rate.
	Timber Beech, Sugar, N Oak, Poplar, Hickory & N Oak,
	W. Spruce & Ironwood.
<hr/>	
West	On the true line between Sec. 20. 29 L. N. 16. N. R. N. 37.
40.00	Set the temporary post at the av. dist. in the true line fr.
	the cor. of 14 sec. from which a
	N. Oak. 16 in diam. trees. N 33 W. 29 miles dist; & a
	Loc. 30 " " " N 47 E. 30 " "
80.00	To the post cor. of sec. 20. 21. 28 & 29.
<hr/>	
West	Between Sec. 19. & 30 L. N. 16. N. R. N. 37.
21.80	Iron Brook. 14 in diam. Stands in the line.
40.00	Set a post for the cor. of 14 sec. from which a
	Poplar. 30 in diam. trees. S 76 W. 10 miles dist; & a
	Sugar. 14 " " " N 41 W. 23 " "
51.65	Intersect the West Boundary at the post cor. of
	Sec. 24 & 25 L. N. 16. N. R. N. 47.
	Land is hilly and good 2 <sup>nd</sup> rate, Soil.

I N° 16. N.R. N° 37. 2nd Mer. Sur.

Timber Bech, Sugar, Poplar, W Oak, W Ash & W 8 Spine.

North Bottom Loc. 19 & 20 I N° 16. N.R. N° 37.  
 27.90 Iron Elm. 30 in dia. Stands in the river.  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 Bech. 6 in dia. beam. N 61 E. 10 links each; 10,  
 Immersed to " " S 76 W. 11 " "  
 65.10 To a Sugar. 12 in dia. Stands in the river.  
 80.00 Set a post for the cor. of sec. 17, 18, 19 & 20 from which  
 Hickory 24 in dia. beam. N 45 E. 1 1/2 links each; 10,  
 Bech. 12 " " " S 45 W. 1 " "  
 Lands held under 2nd rate; Timber Bech, Sugar, Ash,  
 W Oak Hickory on a Poplar, W 8 Spine.

East On a run down river between Loc. 17 & 20 I N° 16. N.R. N° 37.  
 40.00 Set a temporary post for the cor. of 1/4 sec.  
 80.00 Intersub the N & S line at the post cor. of sec. 16, 17 &  
 20 & 21. Lands held under 2nd rate; Timber Bech,  
 Hickory Elm, Ash & Sugar, W 8 Spine Iron & Ash.

West On the true river between Loc. 17 & 20 I N° 16. N.R. N° 37.  
 40.00 Set the temporary post at the cor. set on the true river for  
 the cor. of 1/4 sec. from which a  
 Sugar. 10 in dia. beam. S 35 W. 20 links each; 10,  
 Bech. 12 " " " S 63 E. 24 " "  
 80.00 To the post cor. of sec. 17, 18, 19 & 20.

West Bottom Loc. 18 & 19. I N° 16. N.R. N° 37.  
 19.60 To a Sugar. 18 in dia. Stands in the river.  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 Sugar. 8 in dia. beam. S 50 W. 27 links each; 10,  
 Co. 15 " " " N 23 E. 24 " "



T. N<sup>o</sup> 16. N.R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Sur<sup>y</sup>.

51.61	Intersect the West Boundary 42 miles N. of the post. cor. of sec. 13 & 24 T. N <sup>o</sup> 16. N.R. N <sup>o</sup> 4 W. and set a post for the cor. of sec. 18 & 19 from which an Elm 20 in diam. bears S 70 <sup>o</sup> W. 20 links west; 1 <sup>st</sup> & Sugar 8 " " S 73 <sup>o</sup> E. 32 " " Land level and 2 <sup>nd</sup> rate; Timber Beech. Sugar, Elm, Ash &c. W <sup>o</sup> Spice.
North	Between Sec. 17 & 18 T. N <sup>o</sup> 16. N.R. N <sup>o</sup> 3 W.
25.40	Set a Hick <sup>y</sup> 20 in diam. stands in the line.
40.00	Set a post for the cor. of 1/4 sec. from which a Beech. 14 in diam. bears N 8 <sup>o</sup> W. 20 links west; 1 <sup>st</sup> & Ironwood 9 " " N 8 <sup>o</sup> E. 21 " "
62.25	Set a Maple 10 in diam. stands in the line.
80.00	Set a post for the cor. of Sec. 7, 8, 17, & 18. from which a Beech. 14 in diam. bears N. 24 <sup>o</sup> E. 10 links. dist. 8 a S <sup>o</sup> 10. " " " S. 35. E. 10. " " Land level & 3 <sup>rd</sup> rate. Timber, Beech. Sugar. Ash, W. Oak. Hick <sup>y</sup> & Elm. W <sup>o</sup> G. Spice &c.
East	On a Wanders line between Sec. 8, & 17 T. N <sup>o</sup> 16. N. R. N <sup>o</sup> 3 W.
40.00	Set a temp <sup>y</sup> post for the cor. of 1/4 Sec.
80.00	Intersected the N. & S. line at the post for the cor. of Sec. 8, 9, 16, & 17. Land level apt. & 3 <sup>rd</sup> rate, Timber. Beech. Elm. B. Oak. Ash. B. Oak. Poplar & Sugar, W <sup>o</sup> G. Spice &c.
West	On the true line between Sec. 8, & 17 T. N <sup>o</sup> 16. N. R. N <sup>o</sup> 3 W.
40.00	Set the temp <sup>y</sup> post for the cor. of 1/4 Sec. at the aver. dist. on the true line from which a Beech. 14 in diam. bears S. 53 <sup>o</sup> E. 23 links. dist. 8 a S <sup>o</sup> 18. " " " N. 18. E. 13. " "
80.00	Set the post set for the cor. of Sec. 7, 8, 17, & 18,

West Between Sec. 7. & 18. T. N. 16. N. R. N. 3. W.  
 30. 25 To an Elm 36. in. diam. stands in the line  
 40. 00 Set a Post for the cor. of 1/4 Sec. from which a  
 B. Ash 9. in. diam. bears East 10. links. dist. & a  
 Iron peg 7. " " N. 1. E. 6. " "  
 57. 76 Intersecting the W. Boundary 58. links S. of the post set for the  
 cor. of Sec. 12. & 13. T. N. 16. N. R. N. 4. W. and set a Post  
 for the cor. of Sec. 7. & 18. from which a  
 Buck 14. in. diam. bears S. 35. W. 8. links. dist. & a  
 Do 10. " " " N. 5. W. 10. " "  
 Land level & 3rd rate. Timber Buck. Sugar. Ash.  
 B. Oak. Elm. & W. Oak. W. 9. Spice.

North Between Sec. 7. & 8. T. N. 16. N. R. N. 3. W. 3rd Mer  
 38. 50 To a Sugar 14. in. diam. stands in the line.  
 40. 00 Set a Post for the cor. of 1/4 Sec. from which a  
 Buck 36. in. diam. bears S. 48. E. 30. links. dist. & a  
 Sugar 18. " " " N. 35. W. 19. " "  
 73. 50 To an Ash 16. in. diam. stands in the line.  
 80. 00 Set a Post for the cor. of Sec. 5. 6. 7. & 8. from which a  
 Sugar 12. in. diam. bears N. 10. E. 43. links. dist. & a  
 Buck 30. " " " N. 85. W. 23. Land rolling &  
 soil 3rd rate. Timber Buck. Sugar. Ash. Hick. Poplar.  
 & W. Oak. W. 9. Spice. &c.

East On a Random line between Sec. 5. & 8. T. N. 16. N. R. N. 3. W.  
 40. 00 Set a Temp<sup>y</sup> Post for the cor. of 1/4 Sec.  
 61. 25 To a Brook 10 links wide; Course N. W.  
 71 95 Intersecting the N. & S. line at the Post cor. of Sec. 4. 5. 8. & 9.  
 Land rolling & 3rd rate. Timber Buck. Sugar. Ash. W. Oak.  
 Hick. Poplar. & Elm. W. 9. Spice

West On the true line between Sec. 5. & 8. T. N. 16. N. R. N. 3. W.

T. N. 16. N. R. N. 3. W. 2<sup>nd</sup> Mer

39. 99 Set a post at the aver. dist. on the true line for the cor. of 1/4 Sec. from which a Buck 9. in. diam. bears S. 72. E. 13. links dist. & a Buck 8. in. diam. bears N. 77. W. 4. lks. dist.

West Between Sec. 6 & 7. T. N. 16. N. R. N. 3. W. 2<sup>nd</sup> Mer.

33. 40 To a Buck 12. in. diam. stands in the line.

40. 00 Set a post for the cor. of 1/4 Sec. from which a Sugar 18. in. diam. bears S. 58. W. 8. links dist. & a Sec. 20. " " " N. 82. E. 16. " "

51. 74 Intersected the W. Boundary line 75 lks. N. of the post cor. of Sec. 1 & 12. T. N. 16. N. R. N. 4. W. & set a post for the cor. of Sec. 6 & 7. from which a W. Ash 9. in. diam. bears N. 24. E. 34. lks. dist.

& a Buck 30. " " " S. 24. W. 5. " "

Land rolling & granite. Timber Buck Sugar Ash W. Spruce

North Between Sec. 5 & 6. T. N. 16. N. R. N. 3. W. 2<sup>nd</sup> Mer

11. 10 To a Brook 12. links wide; Course N. W.

20. 00 " " Buck 30. in. diam. stands in the line.

40. 00 Set a post for the cor. of 1/4 Sec. from which a Sugar 18. in. diam. bears N. 20. E. 15. links dist. & a Sec. 9. " " " N. 72. W. 8. " "

51. 00 To a Brook 30. links wide; Course S. W.

60. 96 " " Hick. 14. in. diam. stands in the line.

82. 00 " " Brook 9. links wide; Course S. W.

86. 50 Intersected the N. Boundary line and set a post for the cor. of Sec. 5 & 6. T. N. 16. N. R. N. 3. W. from which a Hickory 30. in. diam. bears N. 47. E. 16. links dist. & a Sugar 14. " " " S. 44. W. 30. " "

Land rolling & granite. Timber Buck Sugar Ash Elm. & B. Walnut. Undergrowth Spruce.

Surveyed by

Allen Wright D.S.

221

T. N. 16. N. R. N. 3 N. 2<sup>nd</sup> Mer. Ind.

Certify that the foregoing transcript of the field notes of Township N. 16. North of Range N. 3 West of the 2<sup>nd</sup> Principal Meridian, in Indiana has been compared with the Original notes in this Office, and found to be correct.

Surveyor General's Office,

Cincinnati, Dec. 26. 1840.

P. S. Haire

Sur. Genl.